



RPMI-1640

With L-Glutamine, 25mM HEPES buffer and Sodium bicarbonate

Product Code: AL060A

Product Description:

Roswell Park Memorial Institute (RPMI) media are a series of media developed by Moore et al for the culture of human normal and neoplastic cells in vitro. RPMI-1640 is the most commonly used medium in the series. A modification of McCoy's 5A medium, the medium was specifically designed to support the growth of human lymphoblastoid cells in suspension culture. Presently the medium is extensively used for a wide range of anchorage dependant cell lines. The medium needs to be supplemented with 5-20% fetal bovine serum. The medium is also known to support growth of cells in the absence of serum.

AL060A is RPMI-1640 medium supplemented with L-glutamine, 25mM HEPES buffer and sodium bicarbonate. HEPES, a zwitterionic buffer having a pKa of 7.3 at 37°C prevents the initial rise in pH that tends to occur at the initiation of a culture and increases the buffering capacity of the medium. Users are advised to review the literature for recommendations regarding medium supplementation and physiological growth requirements specific for different cell lines.

Composition:

| composition | |
|---------------------------------------|----------|
| Ingredients | mg/L |
| INORGANIC SALTS | 100.000 |
| Calcium nitrate tetrahydrate | 100.000 |
| Disodium hydrogen phosphate anhydrous | 800.000 |
| Magnesium sulphate anhydrous | 48.840 |
| Potassium chloride | 400.000 |
| Sodium bicarbonate | 2000.000 |
| Sodium chloride | 6000.000 |
| AMINO ACIDS | |
| Glycine | 10.000 |
| L-Arginine hydrochloride | 241.000 |
| L-Asparagine monohydrate | 50.000 |
| L-Aspartic acid | 20.000 |
| L-Cystine dihydrochloride | 65.150 |
| L-Glutamic acid | 20.000 |
| L-Glutamine | 300.000 |
| L-Histidine hydrochloride monohydrate | 20.960 |
| L-Hydroxyproline | 20.000 |

| L-Isoleucine | 50.000 |
|----------------------------------|----------|
| L-Leucine | 50.000 |
| L-Lysine hydrochloride | 40.000 |
| L-Methionine | 15.000 |
| L-Phenylalanine | 15.000 |
| L-Proline | 20.000 |
| L-Serine | 30.000 |
| L-Threonine (Allo free) | 20.000 |
| L-Tryptophan | 5.000 |
| L-Tyrosine sodium salt dihydrate | 28.830 |
| L-Valine | 20.000 |
| VITAMINS | |
| Choline chloride | 3.000 |
| D-Biotin | 0.200 |
| D-Ca-Pantothenate | 0.250 |
| Folic acid | 1.000 |
| Niacinamide | 1.000 |
| Pyridoxine hydrochloride | 1.000 |
| Riboflavin | 0.200 |
| Thiamine hydrochloride | 1.000 |
| Vitamin B12 | 0.005 |
| i-Inositol | 35.000 |
| p-Amino benzoic acid (PABA) | 1.000 |
| OTHERS | |
| D-Glucose | 2000.000 |
| Glutathione reduced | 1.000 |
| HEPES Buffer | 5958.000 |
| Phenol red sodium salt | 5.300 |
| | |

Quality Control:

Appearance Orangish red colored, clear solution

pH 7.00 -7.60

Osmolality in mOsm/Kg H₂O 320.00 -360.00

HIMEDIA

Sterility

No bacterial or fungal growth is observed after 14 days of incubation, as per USP specification.

Cultural Response

The growth promotion capacity of the medium is assessed qualitatively by analyzing the cells for the morphology and quantitatively by estimating the cell counts.

Endotoxin Content NMT 1EU/ml

Storage and Shelf Life:

Store at 2-8°C away from bright light. Shelf life is 12 months. Use before expiry date given on the product label.

Disclaimer :

Revision : 04/2022

User must ensure suitability of the product(s) in their application prior to use. Products conform solely to the information contained in this and other related HiMedia[™] publications. The information contained in this publication is based on our research and development work and is to the best of our knowledge true and accurate. HiMedia[™] Laboratories Pvt Ltd reserves the right to make changes to specifications and information related to the products at any time. Products are not intended for human or animal or therapeutic use but for laboratory, diagnostic , research or further manufacturing use only, unless otherwise specified. Statements contained herein should not be considered as a warranty of any kind, expressed or implied, and no liability is accepted for infringement of any patents.

